



[BCIS Home](#) |
 [Log In](#) |
 [User Registration](#) |
 [Hot Topics](#) |
 [Submit Surcharge](#) |
 [Stats & Facts](#) |
 [Publications](#) |
 [FBC Staff](#) |
 [BCIS Site Map](#) |
 [Links](#) |
 [Search](#)

Product Approval
 USER: Public User

[Product Approval Menu](#) >
 [Product or Application Search](#) >
 [Application List](#) >
 Application Detail

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL # FL6378-R1
 Application Type Affirmation
 Code Version 2007
 Application Status Approved
 Comments
 Archived

Product Manufacturer Premier Products, Inc.
 Address/Phone/Email 2840 Hwy. 165 North
 Monroe, LA 71203
 (318) 361-0796
 jmeggs@trustpremier.com

Authorized Signature Joey Meggs
 jmeggs@trustpremier.com

Technical Representative Joey Meggs
 Address/Phone/Email P.O. Box 7269
 Monroe, LA 71211
 (318) 361-0796

Quality Assurance Representative
 Address/Phone/Email

Category Exterior Doors
 Subcategory Swinging Exterior Door Assemblies

Compliance Method Certification Mark or Listing

Certification Agency Underwriters Laboratories Inc.
 Validated By

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	ANSI A250.13-03	2003
	ASTM E 330-02	2002
	ASTM E1886-02	2002
	ASTM E1996-02	2002

Equivalence of Product Standards
 Certified By

I warrant that there are no changes in the Florida Building Code which affect my product(s) and my product(s) are in compliance with the new Florida Building Code.

Documentation from approved Evaluation or Validation Entity

Yes No N/A

Product Approval Method Method 1 Option A
 Date Submitted 09/11/2008
 Date Validated 09/11/2008
 Date Pending FBC Approval
 Date Approved 09/13/2008

Summary of Products

FL #	Model, Number or Name	Description
6378.1	Exterior Hollow Metal Swinging Doors	UL Classified Windstorm Resistant Commercial Hollow Metal Doors
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Outswing, singles and pairs of flush, embossed, or glazed Windstorm Resistant Doors as listed by Underwriters Laboratories under Guide Reference ZHCW.R21965. Impact Resistance is Missile D, Zone 4.		Certification Agency Certificate FL6378_R1_C_CAC_ULFBC1626Certifications2006.pdf Quality Assurance Contract Expiration Date Installation Instructions FL6378_R1_II_ANSI A250.11-2001.pdf FL6378_R1_II_U.L. Anchor Details.pdf Verified By: Underwriters Laboratories Inc. Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
6378.2	Hollow Metal Door Frames	UL Classified Windstorm Resistant Commercial Hollow Metal Door Frames
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Outswing, single and pairs of Windstorm Resistant Door Frames for Drywall, Masonry, or Metal Construction as listed by Underwriters Laboratories under Guide Reference ZHDL.R22147. Impact Resistance is Missile D, Zone 4.		Certification Agency Certificate FL6378_R1_C_CAC_ULFBC1626Certifications2006.pdf Quality Assurance Contract Expiration Date Installation Instructions FL6378_R1_II_ANSI A250.11-2001.pdf FL6378_R1_II_U.L. Anchor Details.pdf Verified By: Underwriters Laboratories Inc. Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

Back

Next

DCA Administration

Department of Community Affairs
Florida Building Code Online
Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

